

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandra, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/507,290	01/28/2005	Yumio Moriya	520514.00019	2813
26710 7590 702262008 0226008 02260008 02260000000000			EXAMINER	
			LAUX, JESSICA L	
			ART UNIT	PAPER NUMBER
	,		3635	
			MAIL DATE	DELIVERY MODE
			02/26/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/507,290 MORIYA, YUMIO Office Action Summary Examiner Art Unit Jessica Laux 3635 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 10 September 2004. 2a) ☐ This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-5 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-5 is/are rejected.

Claim(s) _____ is/are objected to.
 Claim(s) ____ are subject to restriction and/or election requirement.

9) ☐ The specification is objected to by the Examiner.

10) ☒ The drawing(s) filed on 10 September 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

Application Papers

a)∏ All	b) Some * c) None of:
1.	Certified copies of the priority documents have been received.
2.	Certified copies of the priority documents have been received in Application No

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

4) Interview Summary (PTO-413) Paper No(s)/Mail Date. 5) Notice of Informal Pater Lapplication 6) Other:	
	Paper No(s)/Mail Date 5). Notice of Informal Pater LApplication.

Application/Control Number: 10/507,290

Art Unit: 3633

DETAILED ACTION

Drawings

Figures 12-13 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated (reference applicant's specification, "Background Art". See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abevance.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant Admitted Prior Art and US Patents to any of 5165214, 4704836 or WO01/14658 (reference related US Patent 6758022).

Regarding claims 1-5: Applicant discloses the specification at least on page 1

"Background Art" and page 7 "Best Mode for Carrying Out the Invention" that it is

common and known in the art to have a space truss as presently claimed characterized

Application/Control Number: 10/507,290

Art Unit: 3633

by a rectangular upper lattice and a rectangular lower lattice, each composed of chord members in vertical directions and in horizontal directions, said chord members intersecting with each other, and diagonal members coupling intersection points of said chord members in both of said lattices mutually. Applicant indicates in the specification that applicant's invention differs from the prior art frames with regard to the chord members and diagonal members. Accordingly it appears the novelty of applicant's invention lies in the frame members.

US Patents to Codd, 4704836 and 5165214, and Publication WO01/14658 (reference US Patent 6758022 to Coll et al.) all disclose framing members for making a space truss having long rod members with a flattened intersection point intermediate flattened ends (which are half the size of the intermediate point) of the rod and diagonal members formed by bend rod members; where the members ore coupled on top of each other directly or with a spacer at the intersection points (reference figures 1-6 of patent 4704836; figures 1-6 of patent 5165214; and figures 5-8, 9, 11A-F, 14-19 of WO 01/14658). Accordingly it would have been obvious to one of ordinary skill in the art at the time of the invention to make the known space truss configuration using the know framing members as such a modification would provide for versatility in design and a more cost efficient frame (where the members are more cost efficient to make). Further it is noted that the substitution of one known element for another without changing the function of the element is merely employing the common sense of one of ordinary skill in the art when the substitution yields predictable results.

Application/Control Number: 10/507,290

Art Unit: 3633

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jessica Laux whose telephone number is 571-272-8228. The examiner can normally be reached on Monday thru Thursday, 9:00am to 5:00pm (est).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Chilcot can be reached on 571-272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jeanette E Chapman/ Primary Examiner, Art Unit 3633

/J. L./ Examiner, Art Unit 3635 02/13/2008